

```
root@FF_GL_Kibitzstrasse1:~# uci show
alfred.alfred=alfred
alfred.alfred.batmanif='bat0'
alfred.alfred.start_vis='1'
alfred.alfred.mode='slave'
alfred.alfred.run_factors='0'
alfred.alfred.interface='br-client'
autoupdater.settings=autoupdater
autoupdater.settings.enabled='1'
autoupdater.settings.version_file='/lib/gluon/release'
autoupdater.settings.branch='stable'
autoupdater.experimental=branch
autoupdater.experimental.mirror='http://images.ffgl/bgl/experimental/sysupgrade'
'http://images.ffgl.eu/bgl/experimental/sysupgrade'
'http://[fda0:747e:ab29:5142:ff22::1]/images/bgl/experimental/sysupgrade'
'http://[fda0:747e:ab29:5142:ff42::1]/images/bgl/experimental/sysupgrade'
autoupdater.experimental.good_signatures='1'
autoupdater.experimental.name='experimental'
autoupdater.experimental.pubkey='82582834467d0ea6466146682f13679e6d6e3440838aaf3
8fd98cdd574581320'
'15495f8ffa45f7a02fd8889fb90bbf1b3c8f2930962fda566db956904b01733d'
'fb919d4adc69bd404f5093ce6b43badf351f9e642ad458406be986baf6096247'
'bb559ba542e814ba8913ce16aa0b54df9effffa7870749d5de264ef76f8469d3'
'579de7b1ded1dc39583515f722d72524f6dce78da635a7ac2d11cfe1dc046e7e'
autoupdater.beta=branch
autoupdater.beta.mirror='http://images.ffgl/bgl/beta/sysupgrade'
'http://images.ffgl.eu/bgl/beta/sysupgrade'
'http://[fda0:747e:ab29:5142:ff22::1]/images/bgl/beta/sysupgrade'
'http://[fda0:747e:ab29:5142:ff42::1]/images/bgl/beta/sysupgrade'
autoupdater.beta.good_signatures='2'
autoupdater.beta.name='beta'
autoupdater.beta.pubkey='82582834467d0ea6466146682f13679e6d6e3440838aaf38fd98cdd
574581320' '15495f8ffa45f7a02fd8889fb90bbf1b3c8f2930962fda566db956904b01733d'
'fb919d4adc69bd404f5093ce6b43badf351f9e642ad458406be986baf6096247'
'bb559ba542e814ba8913ce16aa0b54df9effffa7870749d5de264ef76f8469d3'
'579de7b1ded1dc39583515f722d72524f6dce78da635a7ac2d11cfe1dc046e7e'
autoupdater.stable=branch
autoupdater.stable.mirror='http://images.ffgl/bgl/stable/sysupgrade'
'http://images.ffgl.eu/bgl/stable/sysupgrade'
'http://[fda0:747e:ab29:5142:ff22::1]/images/bgl/stable/sysupgrade'
'http://[fda0:747e:ab29:5142:ff42::1]/images/bgl/stable/sysupgrade'
autoupdater.stable.good_signatures='2'
autoupdater.stable.name='stable'
autoupdater.stable.pubkey='82582834467d0ea6466146682f13679e6d6e3440838aaf38fd98c
dd574581320' '15495f8ffa45f7a02fd8889fb90bbf1b3c8f2930962fda566db956904b01733d'
'fb919d4adc69bd404f5093ce6b43badf351f9e642ad458406be986baf6096247'
'bb559ba542e814ba8913ce16aa0b54df9effffa7870749d5de264ef76f8469d3'
'579de7b1ded1dc39583515f722d72524f6dce78da635a7ac2d11cfe1dc046e7e'
'd0647b68ff46d35394d99630f9337e39786f51f5bdcee5bd26b7b2c729045cb6'
autoupdater.nightly=branch
autoupdater.nightly.mirror='http://images.ffgl/bgl/nightly/sysupgrade'
'http://images.ffgl.eu/bgl/nightly/sysupgrade'
```

```
'http://[fda0:747e:ab29:5142:ff22::1]/images/bgl/nightly/sysupgrade'  
'http://[fda0:747e:ab29:5142:ff42::1]/images/bgl/nightly/sysupgrade'  
autoupdater.nightly.good_signatures='1'  
autoupdater.nightly.name='Nightly (Broken!)'  
autoupdater.nightly.pubkey='82582834467d0ea6466146682f13679e6d6e3440838aaf38fd98  
cdd574581320' '15495f8ffa45f7a02fd8889fb90bbf1b3c8f2930962fda566db956904b01733d'  
'fb919d4adc69bd404f5093ce6b43badf351f9e642ad458406be986baf6096247'  
'bb559ba542e814ba8913ce16aa0b54df9effffa7870749d5de264ef76f8469d3'  
'579de7b1ded1dc39583515f722d72524f6dce78da635a7ac2d11cfe1dc046e7e'  
'd0647b68ff46d35394d99630f9337e39786f51f5bdcee5bd26b7b2c729045cb6'  
batman-adv.bat0=mesh  
batman-adv.bat0.gw_mode='client'  
batman-adv.bat0.orig_interval='5000'  
batman-adv.bat0.hop_penalty='15'  
batman-adv.bat0.multicast_mode='0'  
dhcp.@dnsmasq[0]=dnsmasq  
dhcp.@dnsmasq[0].domainneeded='1'  
dhcp.@dnsmasq[0].filterwin2k='0'  
dhcp.@dnsmasq[0].rebind_localhost='1'  
dhcp.@dnsmasq[0].local='/lan/'  
dhcp.@dnsmasq[0].domain='lan'  
dhcp.@dnsmasq[0].expandhosts='1'  
dhcp.@dnsmasq[0].nonegcache='0'  
dhcp.@dnsmasq[0].authoritative='1'  
dhcp.@dnsmasq[0].readethers='1'  
dhcp.@dnsmasq[0].leasefile='/tmp/dhcp.leases'  
dhcp.@dnsmasq[0].resolvfile='/tmp/resolv.conf.auto'  
dhcp.@dnsmasq[0].localservice='1'  
dhcp.@dnsmasq[0].boguspriv='0'  
dhcp.@dnsmasq[0].localise_queries='0'  
dhcp.@dnsmasq[0].rebind_protection='0'  
dhcp.lan=dhcp  
dhcp.lan.interface='lan'  
dhcp.lan.start='100'  
dhcp.lan.limit='150'  
dhcp.lan.leasetime='12h'  
dhcp.wan=dhcp  
dhcp.wan.interface='wan'  
dhcp.wan.ignore='1'  
dhcp.client=dhcp  
dhcp.client.ignore='1'  
dhcp.client.interface='client'  
dropbear.@dropbear[0]=dropbear  
dropbear.@dropbear[0].PasswordAuth='on'  
dropbear.@dropbear[0].RootPasswordAuth='on'  
dropbear.@dropbear[0].Port='22'  
fastd.sample_config=fastd  
fastd.sample_config.enabled='0'  
fastd.sample_config.syslog_level='info'  
fastd.sample_config.method='salsa2012+umac'  
fastd.sample_config.mode='tap'  
fastd.sample_config.interface='tap0'
```



```
11b28c679c0fb9fc79da7f'  
fastd.mesh_vpn_backbone_peer_gl3.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_gl3.remote='"gl3.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_gl3.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_gl8=peer  
fastd.mesh_vpn_backbone_peer_gl8.enabled='1'  
fastd.mesh_vpn_backbone_peer_gl8.key='515801142dc476f966ed5ebd909e0117f9e48f62eb  
38e372a696ca3ed41399d3'  
fastd.mesh_vpn_backbone_peer_gl8.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_gl8.remote='"gl8.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_gl8.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper3=peer  
fastd.mesh_vpn_backbone_peer_wupper3.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper3.key='c8f3d1d10b0d6389e39c3c3cb08adfa3123e82  
1fd5bfd6262d2161d80ee4b06c'  
fastd.mesh_vpn_backbone_peer_wupper3.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper3.remote='"wupper3.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_wupper3.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper8=peer  
fastd.mesh_vpn_backbone_peer_wupper8.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper8.key='332bfb0c3c4bba4a5c7f36721ff52f484603bf  
2a4a233a3776e9d4f8b9567078'  
fastd.mesh_vpn_backbone_peer_wupper8.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper8.remote='"wupper8.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_wupper8.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper6=peer  
fastd.mesh_vpn_backbone_peer_wupper6.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper6.key='6775943433146a1c16a33940805fbafa8ba0cc  
6ef328d66cffc0ffe2480226fa'  
fastd.mesh_vpn_backbone_peer_wupper6.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper6.remote='"wupper6.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_wupper6.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_gl7=peer  
fastd.mesh_vpn_backbone_peer_gl7.enabled='1'  
fastd.mesh_vpn_backbone_peer_gl7.key='5f813152bb9e6a6e4f8a55cbfaca84b8a85cd600d9  
8e3b158ed7660d9cfc456'  
fastd.mesh_vpn_backbone_peer_gl7.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_gl7.remote='"gl7.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_gl7.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_gl2=peer  
fastd.mesh_vpn_backbone_peer_gl2.enabled='1'  
fastd.mesh_vpn_backbone_peer_gl2.key='ce12f4834c95a42e43b7a64cedbee96f97cdf3cc87  
dd588a3082d00ccb8f5322'  
fastd.mesh_vpn_backbone_peer_gl2.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_gl2.remote='"gl2.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_gl2.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper2=peer  
fastd.mesh_vpn_backbone_peer_wupper2.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper2.key='b7f319d59d8383ba813c3503416bca45f70852  
e4d207b1743bb6cdca1e30d9f5'  
fastd.mesh_vpn_backbone_peer_wupper2.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper2.remote='"wupper2.ffgl.eu" port 51399'
```

```
fastd.mesh_vpn_backbone_peer_wupper2.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_g19=peer  
fastd.mesh_vpn_backbone_peer_g19.enabled='1'  
fastd.mesh_vpn_backbone_peer_g19.key='8427c40528ba64855376792f059a689c7227fb5671  
aa8431422308f3c8544328'  
fastd.mesh_vpn_backbone_peer_g19.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_g19.remote='"g19.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_g19.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper4=peer  
fastd.mesh_vpn_backbone_peer_wupper4.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper4.key='5e7fa122990dbc34b8cae7ece2cd4ef919d3f8  
c23a674b7bbc05bfebe6a6e8a'  
fastd.mesh_vpn_backbone_peer_wupper4.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper4.remote='"wupper4.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_wupper4.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_g16=peer  
fastd.mesh_vpn_backbone_peer_g16.enabled='1'  
fastd.mesh_vpn_backbone_peer_g16.key='e6f6e1b6814c741036060001988a9ad0f692fa1985  
448bfff01f6bfb7dd0c2'  
fastd.mesh_vpn_backbone_peer_g16.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_g16.remote='"g16.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_g16.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_g11=peer  
fastd.mesh_vpn_backbone_peer_g11.enabled='1'  
fastd.mesh_vpn_backbone_peer_g11.key='f207f58b51ec694aa355d589a2f4c3828e6a273f3c  
d617e56c28fa6e3f142097'  
fastd.mesh_vpn_backbone_peer_g11.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_g11.remote='"g11.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_g11.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper0=peer  
fastd.mesh_vpn_backbone_peer_wupper0.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper0.key='e52daa654abc5c20c5b7a74b5145f70a74914  
35c6ef334ae352e4f19c00e8f5'  
fastd.mesh_vpn_backbone_peer_wupper0.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper0.remote='"wupper0.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_wupper0.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_g10=peer  
fastd.mesh_vpn_backbone_peer_g10.enabled='1'  
fastd.mesh_vpn_backbone_peer_g10.key='6082fc3103bc323e5b1ee34a69b76fac34e1777893  
9d7b8e3de2bbdc3d81cb5a'  
fastd.mesh_vpn_backbone_peer_g10.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_g10.remote='"g10.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_g10.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper5=peer  
fastd.mesh_vpn_backbone_peer_wupper5.enabled='1'  
fastd.mesh_vpn_backbone_peer_wupper5.key='d49256cbc83e206c9afb3c8f757f1a318a18e1  
6933b9b05015926d0849b3cd89'  
fastd.mesh_vpn_backbone_peer_wupper5.net='mesh_vpn'  
fastd.mesh_vpn_backbone_peer_wupper5.remote='"wupper5.ffgl.eu" port 51399'  
fastd.mesh_vpn_backbone_peer_wupper5.group='mesh_vpn_backbone'  
fastd.mesh_vpn_backbone_peer_wupper7=peer  
fastd.mesh_vpn_backbone_peer_wupper7.enabled='1'
```

```
fastd.mesh_vpn_backbone_peer_wupper7.key='9916d2e9e89452ae7e1b9c58038a3b16b75e49
d51afd0440d915adcdac561739'
fastd.mesh_vpn_backbone_peer_wupper7.net='mesh_vpn'
fastd.mesh_vpn_backbone_peer_wupper7.remote='"wupper7.ffgl.eu" port 51399'
fastd.mesh_vpn_backbone_peer_wupper7.group='mesh_vpn_backbone'
fastd.mesh_vpn_backbone_peer_g15=peer
fastd.mesh_vpn_backbone_peer_g15.enabled='1'
fastd.mesh_vpn_backbone_peer_g15.key='091ca87f7b1d1a945fb5e9bbb050b3512b26e9999a
2616815a68c1ea7873d9d7'
fastd.mesh_vpn_backbone_peer_g15.net='mesh_vpn'
fastd.mesh_vpn_backbone_peer_g15.remote='"g15.ffgl.eu" port 51399'
fastd.mesh_vpn_backbone_peer_g15.group='mesh_vpn_backbone'
firewall.@defaults[0]=defaults
firewall.@defaults[0].syn_flood='1'
firewall.@defaults[0].input='ACCEPT'
firewall.@defaults[0].output='ACCEPT'
firewall.@defaults[0].forward='REJECT'
firewall.@zone[0]=zone
firewall.@zone[0].name='lan'
firewall.@zone[0].network='lan'
firewall.@zone[0].input='ACCEPT'
firewall.@zone[0].output='ACCEPT'
firewall.@zone[0].forward='ACCEPT'
firewall.@zone[1]=zone
firewall.@zone[1].name='wan'
firewall.@zone[1].network='wan' 'wan6'
firewall.@zone[1].input='REJECT'
firewall.@zone[1].output='ACCEPT'
firewall.@zone[1].forward='REJECT'
firewall.@zone[1].masq='1'
firewall.@zone[1].mtu_fix='1'
firewall.@zone[1].conntrack='1'
firewall.@forwarding[0]=forwarding
firewall.@forwarding[0].src='lan'
firewall.@forwarding[0].dest='wan'
firewall.@rule[0]=rule
firewall.@rule[0].name='Allow-DHCP-Renew'
firewall.@rule[0].src='wan'
firewall.@rule[0].proto='udp'
firewall.@rule[0].dest_port='68'
firewall.@rule[0].target='ACCEPT'
firewall.@rule[0].family='ipv4'
firewall.@rule[1]=rule
firewall.@rule[1].name='Allow-Ping'
firewall.@rule[1].src='wan'
firewall.@rule[1].proto='icmp'
firewall.@rule[1].icmp_type='echo-request'
firewall.@rule[1].family='ipv4'
firewall.@rule[1].target='ACCEPT'
firewall.@rule[2]=rule
firewall.@rule[2].name='Allow-IGMP'
firewall.@rule[2].src='wan'
```

```
firewall.@rule[2].proto='igmp'
firewall.@rule[2].family='ipv4'
firewall.@rule[2].target='ACCEPT'
firewall.@rule[3]=rule
firewall.@rule[3].name='Allow-DHCPv6'
firewall.@rule[3].src='wan'
firewall.@rule[3].proto='udp'
firewall.@rule[3].src_ip='fe80::/10'
firewall.@rule[3].src_port='547'
firewall.@rule[3].dest_ip='fe80::/10'
firewall.@rule[3].dest_port='546'
firewall.@rule[3].family='ipv6'
firewall.@rule[3].target='ACCEPT'
firewall.@rule[4]=rule
firewall.@rule[4].name='Allow-MLD'
firewall.@rule[4].src='wan'
firewall.@rule[4].proto='icmp'
firewall.@rule[4].src_ip='fe80::/10'
firewall.@rule[4].icmp_type='130/0' '131/0' '132/0' '143/0'
firewall.@rule[4].family='ipv6'
firewall.@rule[4].target='ACCEPT'
firewall.@rule[5]=rule
firewall.@rule[5].name='Allow-ICMPv6-Input'
firewall.@rule[5].src='wan'
firewall.@rule[5].proto='icmp'
firewall.@rule[5].icmp_type='echo-request' 'echo-reply'
'destination-unreachable' 'packet-too-big' 'time-exceeded' 'bad-header'
'unknown-header-type' 'router-solicitation' 'neighbour-solicitation'
'router-advertisement' 'neighbour-advertisement'
firewall.@rule[5].limit='1000/sec'
firewall.@rule[5].family='ipv6'
firewall.@rule[5].target='ACCEPT'
firewall.@rule[6]=rule
firewall.@rule[6].name='Allow-ICMPv6-Forward'
firewall.@rule[6].src='wan'
firewall.@rule[6].dest='*'
firewall.@rule[6].proto='icmp'
firewall.@rule[6].icmp_type='echo-request' 'echo-reply'
'destination-unreachable' 'packet-too-big' 'time-exceeded' 'bad-header'
'unknown-header-type'
firewall.@rule[6].limit='1000/sec'
firewall.@rule[6].family='ipv6'
firewall.@rule[6].target='ACCEPT'
firewall.@include[0]=include
firewall.@include[0].path='/etc/firewall.user'
firewall.@rule[7]=rule
firewall.@rule[7].src='wan'
firewall.@rule[7].dest='lan'
firewall.@rule[7].proto='esp'
firewall.@rule[7].target='ACCEPT'
firewall.@rule[8]=rule
firewall.@rule[8].src='wan'
```

```
firewall.@rule[8].dest='lan'  
firewall.@rule[8].dest_port='500'  
firewall.@rule[8].proto='udp'  
firewall.@rule[8].target='ACCEPT'  
firewall.wan_ssh=rule  
firewall.wan_ssh.dest_port='22'  
firewall.wan_ssh.src='wan'  
firewall.wan_ssh.name='wan_ssh'  
firewall.wan_ssh.target='ACCEPT'  
firewall.wan_ssh.proto='tcp'  
firewall.client_dns=rule  
firewall.client_dns.dest_port='53'  
firewall.client_dns.src='client'  
firewall.client_dns.name='client_dns'  
firewall.client_dns.target='REJECT'  
firewall.mesh_vpn_dns=include  
firewall.mesh_vpn_dns.family='ipv4'  
firewall.mesh_vpn_dns.type='restore'  
firewall.mesh_vpn_dns.path='/lib/gluon/mesh-vpn-fastd/iptables.rules'  
firewall.client=zone  
firewall.client.name='client'  
firewall.client.input='ACCEPT'  
firewall.client.forward='REJECT'  
firewall.client.network='client'  
firewall.client.output='ACCEPT'  
firewall.wan_respondd_reply=rule  
firewall.wan_respondd_reply.src_port='1001'  
firewall.wan_respondd_reply.src='wan'  
firewall.wan_respondd_reply.name='wan_respondd_reply'  
firewall.wan_respondd_reply.src_ip='fe80::/64'  
firewall.wan_respondd_reply.target='ACCEPT'  
firewall.wan_respondd_reply.proto='udp'  
firewall.wan_respondd_reply.dest_port='32768:61000'  
firewall.local_node=zone  
firewall.local_node.name='local_node'  
firewall.local_node.input='ACCEPT'  
firewall.local_node.forward='REJECT'  
firewall.local_node.network='local_node'  
firewall.local_node.output='ACCEPT'  
firewall.wan_respondd=rule  
firewall.wan_respondd.dest_port='1001'  
firewall.wan_respondd.src='wan'  
firewall.wan_respondd.name='wan_respondd'  
firewall.wan_respondd.src_ip='fe80::/64'  
firewall.wan_respondd.target='ACCEPT'  
firewall.wan_respondd.proto='udp'  
firewall.client_respondd=rule  
firewall.client_respondd.dest_port='1001'  
firewall.client_respondd.src='client'  
firewall.client_respondd.name='client_respondd'  
firewall.client_respondd.src_ip='!fe80::/64'  
firewall.client_respondd.target='REJECT'
```

```
firewall.client_respondd.proto='udp'
gluon-node-info.@location[0]=location
gluon-node-info.@location[0].share_location='1'
gluon-node-info.@location[0].latitude='50.955044'
gluon-node-info.@location[0].longitude='7.134869'
gluon-node-info.@owner[0]=owner
gluon-node-info.@owner[0].contact='freifunk-gl@wolke7.net'
gluon-node-info.@system[0]=system
gluon-setup-mode.@setup_mode[0]=setup_mode
gluon-setup-mode.@setup_mode[0].configured='1'
gluon-setup-mode.@setup_mode[0].enabled='0'
gluon-wan-dnsmasq.@static[0]=static
luci.main=core
luci.main.lang='auto'
luci.main.mediaurlbase='/luci-static/bootstrap'
luci.main.resourcebase='/luci-static/resources'
luci.flash_keep=extern
luci.flash_keep.uci='/etc/config/'
luci.flash_keep.dropbear='/etc/dropbear/'
luci.flash_keep.openvpn='/etc/openvpn/'
luci.flash_keep.passwd='/etc/passwd'
luci.flash_keep.opkg='/etc/opkg.conf'
luci.flash_keep.firewall='/etc/firewall.user'
luci.flash_keep.uploads='/lib/uci/upload/'
luci.languages=internal
luci.languages.de='Deutsch (German)'
luci.languages.en='English'
luci.languages.fr='Français (French)'
luci.sauth=internal
luci.sauth.sessionpath='/tmp/luci-sessions'
luci.sauth.sessiontime='3600'
luci.ccache=internal
luci.ccache.enable='1'
luci.themes=internal
luci.themes.Gluon='/luci-static/gluon'
network.loopback=interface
network.loopback.ifname='lo'
network.loopback.proto='static'
network.loopback.ipaddr='127.0.0.1'
network.loopback.netmask='255.0.0.0'
network.globals=globals
network.globals.ula_prefix='fd83:fa10:9e67::/48'
network.wan6=interface
network.wan6.proto='dhcpv6'
network.wan6.sourcefilter='0'
network.wan6.ifname='br-wan'
network.wan6.ip6table='1'
network.wan6.peerdns='0'
network.@switch[0]=switch
network.@switch[0].name='switch0'
network.@switch[0].reset='1'
network.@switch[0].enable_vlan='1'
```

```
network.@switch_vlan[0]=switch_vlan
network.@switch_vlan[0].device='switch0'
network.@switch_vlan[0].vlan='1'
network.@switch_vlan[0].ports='0 1 2 3 4'
network.wan=interface
network.wan.igmp_snooping='0'
network.wan.ifname='eth1'
network.wan.auto='1'
network.wan.peerdns='0'
network.wan.type='bridge'
network.wan.proto='dhcp'
network.wan.macaddr='62:e4:27:ed:8a:68'
network.wan6_lookup=rule6
network.wan6_lookup.mark='0x01/0x01'
network.wan6_lookup.lookup='1'
network.wan6_unreachable=route6
network.wan6_unreachable.type='unreachable'
network.wan6_unreachable.table='1'
network.wan6_unreachable.target='::/0'
network.wan6_unreachable.metric='65535'
network.wan6_unreachable.gateway='::'
network.wan6_unreachable.interface='loopback'
network.client=interface
network.client.type='bridge'
network.client.macaddr='60:e3:27:ed:8a:68'
network.client.ifname='bat0'
network.client.proto='dhcpv6'
network.client.reqprefix='no'
network.client.igmp_snooping='0'
network.client.peerdns='1'
network.client.sourcefilter='0'
network.mesh_wan=interface
network.mesh_wan.auto='0'
network.mesh_wan.ifname='br-wan'
network.mesh_wan.mesh='bat0'
network.mesh_wan.proto='batadv'
network.mesh_lan=interface
network.mesh_lan.ifname='eth0'
network.mesh_lan.auto='1'
network.mesh_lan.macaddr='62:e4:28:ed:8a:68'
network.mesh_lan.mesh='bat0'
network.mesh_lan.proto='batadv'
network.mesh_vpn=interface
network.mesh_vpn.ifname='mesh-vpn'
network.mesh_vpn.mesh_no_rebroadcast='1'
network.mesh_vpn.macaddr='62:e7:27:ed:8a:68'
network.mesh_vpn.mesh='bat0'
network.mesh_vpn.proto='batadv'
network.bat0=interface
network.bat0.ifname='bat0'
network.bat0.macaddr='60:e3:27:ed:8a:68'
network.bat0.proto='none'
```

```
network.ibss_radio0=interface
network.ibss_radio0.mesh='bat0'
network.ibss_radio0.proto='batadv'
network.ibss_radio0.mtu='1532'
network.local_node_dev=device
network.local_node_dev.macaddr='04:be:51:42:fe:aa'
network.local_node_dev.ifname='br-client'
network.local_node_dev.name='local-node'
network.local_node_dev.type='macvlan'
network.local_node=interface
network.local_node.ifname='local-node'
network.local_node.ipaddr='10.156.0.1'
network.local_node.ip6addr='fda0:747e:ab29:5142::1/128'
network.local_node.netmask='255.255.0.0'
network.local_node.proto='static'
network.local_node_route6=route6
network.local_node_route6.target='fda0:747e:ab29:5142::/64'
network.local_node_route6.gateway='::'
network.local_node_route6.interface='client'
simple-tc.example=interface
simple-tc.example.enabled='0'
simple-tc.example.ifname='eth0'
simple-tc.example.limit_egress='1000'
simple-tc.example.limit_ingress='5000'
simple-tc.mesh_vpn=interface
simple-tc.mesh_vpn.enabled='0'
simple-tc.mesh_vpn.ifname='mesh-vpn'
simple-tc.mesh_vpn.limit_ingress='10000'
simple-tc.mesh_vpn.limit_egress='400'
system.@system[0]=system
system.@system[0].timezone='CET-1CEST,M3.5.0,M10.5.0/3'
system.@system[0].hostname='FF_GL_Kibitzstrasse1'
system.ntp=timeserver
system.ntp.enabled='1'
system.ntp.enable_server='0'
system.ntp.server='ntp.ffgl' '0.openwrt.pool.ntp.org' '1.openwrt.pool.ntp.org'
'2.openwrt.pool.ntp.org' '3.openwrt.pool.ntp.org'
system.led_wan=led
system.led_wan.name='WAN'
system.led_wan.sysfs='tp-link:green:wan'
system.led_wan.trigger='netdev'
system.led_wan.dev='eth1'
system.led_wan.mode='link tx rx'
system.led_lan1=led
system.led_lan1.name='LAN1'
system.led_lan1.sysfs='tp-link:green:lan1'
system.led_lan1.trigger='switch0'
system.led_lan1.port_mask='0x10'
system.led_lan2=led
system.led_lan2.name='LAN2'
system.led_lan2.sysfs='tp-link:green:lan2'
system.led_lan2.trigger='switch0'
```

```
system.led_lan2.port_mask='0x08'  
system.led_lan3=led  
system.led_lan3.name='LAN3'  
system.led_lan3.sysfs='tp-link:green:lan3'  
system.led_lan3.trigger='switch0'  
system.led_lan3.port_mask='0x04'  
system.led_lan4=led  
system.led_lan4.name='LAN4'  
system.led_lan4.sysfs='tp-link:green:lan4'  
system.led_lan4.trigger='switch0'  
system.led_lan4.port_mask='0x02'  
system.led_wlan=led  
system.led_wlan.name='WLAN'  
system.led_wlan.sysfs='tp-link:green:wlan'  
system.led_wlan.trigger='phy0tpt'  
ucitrack.@network[0]=network  
ucitrack.@network[0].init='network'  
ucitrack.@network[0].affects='dhcp' 'radvd'  
ucitrack.@wireless[0]=wireless  
ucitrack.@wireless[0].affects='network'  
ucitrack.@firewall[0]=firewall  
ucitrack.@firewall[0].init='firewall'  
ucitrack.@firewall[0].affects='luci-splash' 'qos' 'miniupnpd'  
ucitrack.@olsr[0]=olsr  
ucitrack.@olsr[0].init='olsrd'  
ucitrack.@dhcp[0]=dhcp  
ucitrack.@dhcp[0].init='dnsmasq'  
ucitrack.@dhcp[0].affects='odhcpd'  
ucitrack.@odhcpd[0]=odhcpd  
ucitrack.@odhcpd[0].init='odhcpd'  
ucitrack.@dropbear[0]=dropbear  
ucitrack.@dropbear[0].init='dropbear'  
ucitrack.@httpd[0]=httpd  
ucitrack.@httpd[0].init='httpd'  
ucitrack.@fstab[0]=fstab  
ucitrack.@fstab[0].init='fstab'  
ucitrack.@qos[0]=qos  
ucitrack.@qos[0].init='qos'  
ucitrack.@system[0]=system  
ucitrack.@system[0].init='led'  
ucitrack.@system[0].affects='luci_statistics'  
ucitrack.@luci_splash[0]=luci_splash  
ucitrack.@luci_splash[0].init='luci_splash'  
ucitrack.@upnpd[0]=upnpd  
ucitrack.@upnpd[0].init='miniupnpd'  
ucitrack.@ntpclient[0]=ntpclient  
ucitrack.@ntpclient[0].init='ntpclient'  
ucitrack.@samba[0]=samba  
ucitrack.@samba[0].init='samba'  
ucitrack.@tinyproxy[0]=tinyproxy  
ucitrack.@tinyproxy[0].init='tinyproxy'  
ucitrack.@6relayd[0]=6relayd
```

```
ucitrack.@6relayd[0].init='6relayd'  
uhttpd.main=uhttpd  
uhttpd.main.redirect_https='1'  
uhttpd.main.rfc1918_filter='1'  
uhttpd.main.max_connections='100'  
uhttpd.main.cert='/etc/uhttpd.crt'  
uhttpd.main.key='/etc/uhttpd.key'  
uhttpd.main.cgi_prefix='/cgi-bin'  
uhttpd.main.script_timeout='60'  
uhttpd.main.network_timeout='30'  
uhttpd.main.http_keepalive='20'  
uhttpd.main.tcp_keepalive='1'  
uhttpd.main.home='/lib/gluon/status-page/www'  
uhttpd.main.max_requests='32'  
uhttpd.main.listen_http='0.0.0.0:80' '[:]:80'  
uhttpd.px5g=cert  
uhttpd.px5g.days='730'  
uhttpd.px5g.bits='1024'  
uhttpd.px5g.country='ZZ'  
uhttpd.px5g.state='Somewhere'  
uhttpd.px5g.location='Uknown'  
uhttpd.px5g.commonname='OpenWrt'  
wireless.radio0=wifi-device  
wireless.radio0.type='mac80211'  
wireless.radio0.hwmode='11g'  
wireless.radio0.path='platform/qca953x_wmac'  
wireless.radio0.country='B0'  
wireless.radio0.htmode='HT40+'  
wireless.radio0.txpower='18'  
wireless.radio0.channel='11'  
wireless.radio0.disabled='0'  
wireless.client_radio0=wifi-iface  
wireless.client_radio0.ifname='client0'  
wireless.client_radio0.network='client'  
wireless.client_radio0.disabled='0'  
wireless.client_radio0.device='radio0'  
wireless.client_radio0.mode='ap'  
wireless.client_radio0.macaddr='62:e5:28:ed:8a:68'  
wireless.client_radio0.ssid='Freifunk'  
wireless.ibss_radio0=wifi-iface  
wireless.ibss_radio0.ifname='ibss0'  
wireless.ibss_radio0.network='ibss_radio0'  
wireless.ibss_radio0.device='radio0'  
wireless.ibss_radio0.bssid='02:ca:ff:ee:51:42'  
wireless.ibss_radio0.disabled='1'  
wireless.ibss_radio0.mcast_rate='1000'  
wireless.ibss_radio0.mode='adhoc'  
wireless.ibss_radio0.macaddr='62:e6:28:ed:8a:68'  
wireless.ibss_radio0.ssid='FFGL-BATBONE'
```